

Approval No : DTL- 01/A & U



ARBRO™
PHARMACEUTICALS PRIVATE LIMITED

Analytical Division

ISO 9001 : 2015 Certified & Govt. Approved Test House
4/9, Kirti Nagar Industrial Area, New Delhi - 110015 (INDIA)

Phone : +91 11-45754575, Email : arbrolab@arbropharma.com, Website : www.testing-lab.com



ULR - TC737523100032703

CERTIFICATE OF ANALYSIS

Report No. : 202312230157

Sample : STRETCH MARK GEL
Mfg. By : NS
Supplied By : NS
Submitted By : HERBAL CHAKRA PVT. LTD.
Address : STUDIO No.-05B, PLOT No.-07, IHDP BUSINESS PARK, SECTOR-127,, NOIDA, UTTAR PRADESH- 201301 INDIA

Recd On : 23/12/2023
Mfg lic. No. : NS
Ref. No. : NS,DATE:21/12/2023

Batch No BC11125 Mfg. Date 11/2023 Expiry Date 10/2025 Batch Size NS Sample Quantity 2X50 gm

Sample ID 202312230157 Date of start of analysis 23/12/2023 Date of completion of analysis 30/12/2023

Reference to protocol :- API

Description :- White soft mass

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
Loss on drying, %w/w	:- 88.81	-	-	-	API
Metal analysis :					
Lead (as Pb)	:- Below Quantification Limit	0.20 mg/kg	-	10.0 mg/kg	APL/CHE/STP-112
Cadmium (as Cd)	:- Below Quantification Limit	0.20 mg/kg	-	0.30 mg/kg	APL/CHE/STP-112
Mercury (as Hg)	:- Below Quantification Limit	0.20 mg/kg	-	1.0 mg/kg	APL/CHE/STP-112
Arsenic (as As)	:- Below Quantification Limit	0.20 mg/kg	-	3.0 mg/kg	APL/CHE/STP-112
Microbial analysis					
Total aerobic microbial count,cfu/g	:- Less than 10	-	-	10000.0	API
Total yeast and mould count, cfu/g	:- Less than 10	-	-	1000.0	API
Salmonella/g.	:- Absent	-	-	-	API
S.aureus/g	:- Absent	-	-	-	API
E.coli/g	:- Absent	-	-	-	API
P.aeruginosa/g	:- Absent	-	-	-	API

End of Report

Report : CUSTOMER ASKED FOR THE ABOVE TESTS ONLY.

Authorized Signatory Biological

AMIT SHAKYA
MICROBIOLOGIST

Authorized Signatory Chemical

Date :- Saturday, Dec 30, 2023
SANJEEV TIWARI
Dy. Manager

**ARBRO™**

PHARMACEUTICALS PRIVATE LIMITED

Analytical Division

ISO 9001 : 2015 Certified & Govt. Approved Test House

4/9, Kirti Nagar Industrial Area, New Delhi - 110015 (INDIA)

Phone : +91 11-45754575, Email : arbrolab@arbropharma.com, Website : www.testing-lab.com



TC-7375

Approval No : DTL- 01/A & U

CERTIFICATE OF ANALYSIS

ULR - TC737523100032703

Report No. : 202312230157

Sample : STRETCH MARK GEL

Mfg. By : NS

Supplied By : NS

Submitted By : HERBAL CHAKRA PVT. LTD.

Address : STUDIO No.-05B, PLOT No.-07, IHDP BUSINESS PARK, SECTOR-127,, NOIDA, UTTAR PRADESH- 201301 INDIA

Recd On : 23/12/2023

Mfg lic. No. : NS

Ref. No. : NS,DATE:21/12/2023

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
BC11125	11/2023	10/2025	NS	2X50 gm

Sample ID	Date of start of analysis	Date of completion of analysis
202312230157	23/12/2023	30/12/2023

Reference to protocol

:- API



To verify Report Scan this Code.

***Terms & Conditions:**

- (1) Total liability of this laboratory is limited to the invoice amount.
- (2) Sample not drawn by the laboratory, unless specified. The results apply to the samples as received.
- (3) The results listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
- (4) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special Permission on writing.

Authorized Signatory Biological

Page 2 of 2

AMIT SHAKYA
MICROBIOLOGIST

Authorized Signatory Chemical

Date :- Saturday, Dec 30, 2023

SANJEEV TIWARI
Dy. Manager



ARBRO™
PHARMACEUTICALS PRIVATE LIMITED

Analytical Division

ISO 9001:2015 Certified & Govt. Approved Test House
4/9, Kirti Nagar Industrial Area, New Delhi - 110015 (INDIA)

Phone : +91 11-45754575, Email : arbrolab@arbropharma.com, Website : www.testing-lab.com



Approval No : DTL-01/A & U

CERTIFICATE OF ANALYSIS

Report No. : A202312230157

Sample : STRETCH MARK GEL
 Mfg. By : NS
 Supplied By : NS
 Submitted By : HERBAL CHAKRA PVT. LTD.
 Address : STUDIO No.-05B, PLOT No.-07, IHDP BUSINESS PARK, SECTOR-127., NOIDA, UTTAR PRADESH- 201301 INDIA

Recd On : 23/12/2023
 Mfg lic. No. : NS
 Ref. No. : NS,DATE:21/12/2023

Batch No	Mfg. Date	Expiry Date	Batch Size	Sample Quantity
BC11125	11/2023	10/2025	NS	2X50 gm

Sample ID	Date of start of analysis	Date of completion of analysis
202312230157	23/12/2023	30/12/2023

Reference to protocol :- API

<Parameters>	<Results>	<LLOQ>	<Lower limit>	<Upper limit>	<Method>
pH	:- 5.74	-	-	-	API
Thermal stability	:- Passes the test	-	-	-	IS 6608:2004 (RA 2019)
Total fatty matter, % w/w	:- 3.89	-	-	-	API
Candida albicans/g	:- Absent	-	-	-	APL/MIB/STP-006

End of Report

Report : CUSTOMER ASKED FOR THE ABOVE TESTS ONLY.



To verify Report Scan this Code.

***Terms & Conditions:**

- (1) Total liability of this laboratory is limited to the invoice amount.
- (2) Sample not drawn by the laboratory, unless specified. The results apply to the samples as received.
- (3) The results listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
- (4) This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special Permission on writing.

Authorized Signatory Biological

AMIT SHAKYA
MICROBIOLOGIST

Authorized Signatory Chemical

Date :- Saturday, Dec 30, 2023

SANJEEV TIWARI
Dy. Manager